



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2202/162/06/19/1822

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Nicmabox s.r.l
Via Alba 36, Moncalieri (Torino) 10024,
Italy

Description

PPE Type : *protective glove against mechanical risks*

Product reference : P-BK

Article code : -

Glove description : Black PU palm coated black nylon glove

Available sizes : 6 7 8 9 10 11

Pictures :



Safeon

P-BK

6



4131X

Lot No.: xxxxx

Address: Nicmabox s.r.l

Via Alba 36, Moncalieri (Torino)

10024 Italy

Reference standard :

Levels of performance / class of protection

EN 420:2003+A1:2009

-

EN 388:2016

4 1 3 1 X

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from JUNE 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Maxence DREVET
Project Certification Manager

Date of first issue : 13 June 2019

End of validity date : 13 June 2024



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Original CTC



Nicmabox s.r.l

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

| | | |
|---------------------------------|----------|------------------|
| Reference of the product | : | P-BK |
| Article code | : | - |
| Technical file index | : | 01 |
| Last update | : | JUNE 2019 |

IDENTIFICATION

| | | |
|----------------------------|---|-----------|
| Reference of the product : | : | P-BK |
| Article code : | : | - |
| Basic Model | | |
| Technical file index : | : | 01 |
| Last update : | : | JUNE 2019 |

Manufacturer :

Nicmabox s.r.l
Via Alba 36, Moncalieri (Torino) 10024,
Italy
tel : +39 (011) 64.882.01
fax : +39 (011) 64.882.32

Factory :

Taste International Limited
26 Dolphin House, 140 Windmill Road, Sunbury-on-Thames, TW16 7FH,
UK
tel: +44 7438 557 034
fax: +44 208 043 3718

GLOVE DESCRIPTION

General glove description :

Black PU palm coated black nylon glove
type of coating finish : smooth

Visual description (picture back and palm sides) :



Field of use

construction, manufacturing industry (automobile, aeronautics)

| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) | | | |
|--|--|-------------------------------------|--|
| | | Applicable | Covered by |
| §1 | Requirements defined in the Annex II §1 are applicable to all PPE | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §1.4 | Manufacturer's instructions and information is available | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking |
| §2.4 | If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging. | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §2.5 | PPE which may be caught up during use | <input checked="" type="checkbox"/> | <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking |
| §2.12 | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |
| §3.3 | The PPE is intended to protect against mechanical injuries | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking |

Available sizes :

| Minimum length of glove (mm) | Sizes |
|------------------------------|-------|
| 220 | 6 |
| 230 | 7 |
| 240 | 8 |
| 250 | 9 |
| 260 | 10 |
| 270 | 11 |

Glove constitution :

| | Reference | Color | Material | Surfacic mass | Gauges | Thickness |
|---------|-----------|------------------------------------|---------------|---------------|--------|-----------|
| Palm | | Black | PU | 190 g/m2 | | 0.09mm |
| | | Black | Nylon | 240 g/m2 | 13 | |
| Back | | Black | Nylon | 240 g/m2 | 13 | |
| Cuff | | Black | Nylon/elastic | 320 g/m2 | 13 | |
| Binding | | blue/orange/pink/green/white/brown | polyester | | | |

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.
This glove is designed for against mechanical risks.
It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2016

| Protection offered | Performance levels |
|--------------------------------------|---------------------------|
| Abrasion resistance | 4 |
| Blade cut resistance | 1 |
| Tear strength resistance | 3 |
| Puncture resistance | 1 |
| Cut Resistance method (EN ISO 13997) | X |
| Impact Protection | - |

The levels of performance have been measured on the palm

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

| Laboratory | CTC | Other |
|------------------------|--|-------|
| EN 420 + innocuousness | S180404524_1 S180810134_2 S180607605_1 S181013498_1 S180303871_2(DMFu) | |
| EN 388 | S180404524_1 S180810134_2 | |

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : P-BK

Article Code : -

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or Serial number :

Marking example :

Safen

P-BK

6



4131X

Lot No.: xxxxxx

Address: Nicmabox s.r.l

Via Alba 36, Moncalieri (Torino)

10024 Italy

Method of marking on the glove :

silk screen printing

Packaging :

12 pairs per polybag, 120 pairs per carton

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.nicmabox.com

MEANS OF CONTROL

Here are quality control measures at our factory:

- 1: income raw material inspected every batch
- 2: inspection of liners every 2 hours
- 3: inspection of banding every 2 hours
- 4: inspection of dipping at the production liner every batch
- 5: quality control over production line
- 6: pick up defective gloves while printing
- 7: pick up defective gloves while packing and loading into cartons
8. EN388/EN420 test items: Abrasion resistance :2016; Cut resistance: 2016; Cutting resistance TDM; Tear strength resistance :2016; Puncture resistance: 2016; PH-Textile (KCl solution) ; Sizing ; Dexterity; Azo dyes -- Textile ; Dimethylfumarate; Polycyclic Arcmatic Hydrocarbons; XRF screening
9. We will randomly inspects every batch of goods including (abrasion、 cut、 tear、 puncture)

INSTRUCTION FOR USE

Nicmabox s.r.l

Via Alba 36, Moncalieri (Torino) 10024,
Italy

Glove reference : P-BK

Article code: -

User notice index : 01

Last update : JUNE 2019

Available sizes : 6 7 8 9 10 11

Safeon

P-BK

6



EN388



4131X

Lot No.: xxxxxx

Address: Nicmabox s.r.l

Via Alba 36, Moncalieri (Torino)

10024 Italy

Glove description :

Black PU palm coated black nylon glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388 : 2016



4 1 3 1 X

Levels of performance

| | | |
|--------------------------------------|---|-------------|
| Abrasion resistance | 4 | (on 4 maxi) |
| Blade cut resistance | 1 | (on 5 maxi) |
| Tear resistance | 3 | (on 4 maxi) |
| Puncture resistance | 1 | (on 4 maxi) |
| Cut Resistance method (EN ISO 13997) | X | (A to F) |
| Impact Protection | | |

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

For gloves with different layers of material, the performance levels are warranted only for the whole glove.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.nicmabox.com