

NITROTOUGH™

N230Y

L'alternativa ideale al PVC e ai guanti leggeri in pelle



Olio



Mansioni medie

L'alternativa ideale al PVC e ai guanti leggeri in pelle

- Fodera 100% cotone interlock.
- Polso a maglia elasticizzato, per una vestibilità aderente.
- Ottima resistenza all'abrasione e allo strappo.
- Comfort e flessibilità ottimali.
- Eccellente destrezza.



Industrie

- Industria metallurgica
- Manutenzione

Applicazioni

- Montaggio e finitura
- Manutenzione
- Industria metallurgica

NITROTOUGH™

N230Y

L'alternativa ideale al PVC e ai guanti leggeri in pelle

Caratteristiche chiave

- Ottima resistenza all'abrasione
- Eccellente destrezza
- Comfort e flessibilità ottimali
- Guanto rivestito 3/4 per una notevole oleorepellenza
- Polso a maglia elasticizzato, per una vestibilità aderente

Acceleranti chimici di vulcanizzazione

- Dietilditiocarbammato di zinco

Solo un numero estremamente ridotto di utilizzatori potrebbe essere sensibile a questo(i) ingrediente(i) e, di conseguenza, sviluppare irritazioni e/o reazioni allergiche da contatto.

Standard riguardanti le prestazioni & Conformità normativa

Conforme a REACH



Specifiche

MARCHIO MODELLO	DESCRIZIONE	Numero di aghi	TAGLIA	LUNGHEZZA	COLORE	CONFEZIONAMENTO
Nitrotough™ N230Y	Finitura: Rivestimento 3/4 Materiale del rivestimento: Nitrile Materiale della fodera: Cotone Jersey Modello di polso: Polso a maglia		6, 7, 8, 9, 10, 11	235-282 mm	Giallo	• 12 paia in un sacchetto; 12 sacchetti in un cartone

Per maggiori informazioni, visitate il nostro sito www.ansell.com, oppure chiamateci al numero

Europa, Medio Oriente ed Africa

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
+1 800 800 0444
F: +1 800 800 0445

Australia

Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Regioni dell'Asia Pacifico

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

America Latina & Caraibi

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro, Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada
105 Lauder
Owensville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® e ™ sono marchi commerciali di proprietà di Ansell Limited o di una delle società affiliate. Brevettati negli USA e in attesa di brevetti negli USA e fuori dagli USA: www.ansell.com/patentmarking © 2020 Ansell Limited. Tutti i diritti riservati.

Né il presente documento, né eventuali altre dichiarazioni formulate da o per conto di Ansell devono essere interpretati come garanzia di commerciabilità o idoneità per un determinato utilizzo dei prodotti Ansell. Ansell non assume alcuna responsabilità riguardo a idoneità o adeguatezza nella scelta dei guanti per un uso specifico da parte dell'utente finale.

NITROTOUGH™

N230Y

Ideal alternative to PVC and light leather gloves



Oil



Medium Duty

Ideal alternative to PVC and light leather gloves

- 3/4 dipped glove made of an Interlock 100% cotton liner for a very good abrasion resistance



Industries

- Metal fabrication
- Maintenance

Applications

- Assembly and finishing
- Maintenance
- Metal Fabrication

NITROTOUGH™

N230Y

Ideal alternative to PVC and light leather gloves

Key Features

- Very good abrasion resistance
- Excellent dexterity
- Optimum comfort and flexibility
- 3/4 dipped glove for outstanding oil repellence
- Elasticated knitwrist for snug fit

Vulcanization Chemical Accelerators

- Zinc Diethyldithiocarbamate

Only a very small number of users may be sensitive to this ingredient(s) and hence may develop irritant and/or allergic contact reactions.

Performance Standards & Regulatory Compliance

REACH Compliant



Specifications

BRAND STYLE	DESCRIPTION	Gauge	SIZE	LENGTH	COLOR	PACKAGE
Nitrotough™ N230Y	Finishing: ¾ Coated Coating Material: Nitrile Liner Material: Cotton Jersey Cuff Style: Knitwrist		6, 7, 8, 9, 10, 11	235-282 mm	Yellow	• 12 pairs in a bag; 12 bags in a carton

For additional information visit us at www.ansell.com, or call us at

Europe, Middle East & Africa Region

Ansell Healthcare Europe NV
Riverside Business Park
Blvd International, 55
1070 Brussels, Belgium
T: +32 (0) 2 528 74 00
F: +32 (0) 2 528 74 01

North America Region

Ansell Healthcare Products LLC
111 Wood Avenue South,
Suite 210
Iselin, NJ 08830, USA
T: +1 800 800 0444
F: +1 800 800 0445

Australia

Ansell Limited
Level 3,678 Victoria Street,
Richmond, Vic, 3121
Australia
T: +61 1800 337 041
F: +61 1800 803 578

Asia Pacific Region

Ansell Global Trading Center
(Malaysia) Sdn Bhd
Prima 6, Prima Avenue
Block 3512, Jalan Teknokrat 6
T: +603 8310 6688
F: +603 8310 6699

Latin America & Caribbean Region

Ansell Commercial Mexico S.A. de C.V.
Blvd. Bernardo Quintana No. 7001-C,
Q7001 Torre II,
Suites 1304, 1305 y 1306,
Col. Centro Sur, c.p. 76079
Queretaro, Qro. Mexico
T: +52 442 248 1544 / 248 3133

Canada

Ansell Canada
105 Lauder
Owensville, QC J2K 2K8
Canada
T: +1 800 363 8340
F: +1 800 267 3551

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. US Patented and US and non-US Patents Pending:
www.ansell.com/patentmarking © 2020 Ansell Limited. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of Ansell should be construed as a warranty of merchantability or that any Ansell product is fit for a particular purpose. Ansell assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

